

Three new combinations in *Acilepis* D.Don (Asteraceae) from India

Ramalingam Kottaimuthu

Department of Botany, Saraswathi Narayanan College, Madurai-625 022, Tamil Nadu, India
kottaimuthu@yahoo.co.in

Abstract

Critical studies with protologue and type specimens of *Vernonia anaimudica* B.V.Shetty & Vivek., *Vernonia pothigaina* Chellad. & Gopalan and *Vernonia pulneyensis* Gamble shows the diagnostic features of *Acilepis* rather than *Vernonia* sensu stricto. Hence, they are transferred from *Vernonia* Schreb. to *Acilepis* D.Don.

Introduction

The distribution range and generic circumscription of *Vernonia* is greatly changed after the revision of the paleotropics species of tribe *Vernonieae* by Robinson (1999). After that Robinson and Skvarla (2006–2010) and Robinson et al. (2008) restored and erected many new genera under the tribe *Vernonieae*. Recent molecular and phylogenetic studies also supported the polyphyletic nature of *Vernonia* Schreb. sensu lato (Keeley et al. 2007; Keeley and Robinson 2009; Loeuille et al. 2015). However, most of these segregates are rather difficult to delimit. A few workers in India and Thailand already followed Robinson's treatment and transferred the known species of *Vernonia* to the respective segregated genera (Bunwong et al. 2014; Kumar 2014; Punekar and Vasudeva Rao 2006; Rasiya Beegam and Sibi 2012).

During the revision of *Vernonia* of Western Ghats, critical studies with protologue, type specimens coupled with fresh collection in the field unveiled that the following three species of *Vernonia* viz., *Vernonia anaimudica* B.V.Shetty & Vivek., *Vernonia pothigaina* Chellad. & Gopalan and *Vernonia pulneyensis* Gamble belong to *Acilepis* because of the herbaceous habit, simple hairs on stems, separated heads, unequal and deeply separated cells of setulae of achenes. As there is no combination in *Acilepis* for these three species, I propose new combinations below.

Nomenclature

***Acilepis anaimudica* (B.V.Shetty & Vivek.) R.Kottaimuthu, comb. nov.**

Basionym: *Vernonia anaimudica* B.V.Shetty & Vivek. *Bulletin of the Botanical Survey of India* 12(1–4): 266 (1972)

Type: INDIA: Kerala, Kottayam District, Rajamallay, Devicolam, 2 Feb 1970, Shetty & Vivekananthan 31786A (holo: CAL; iso: B-Z-MH!).

Distribution: India (Kerala) – Endemic.

Notes: *Acilepis anaimudica* resembles *A. heynei* (Bedd. ex Gamble) H.Rob. & Skvarla at first sight, but quiet distinct in having bullate leaves with rounded-acute base.

Acilepis pulneyensis (Gamble) R.Kottaimuthu, **comb. nov.**

Basionym: *Vernonia pulneyensis* Gamble, *Kew Bulletin* 1920: 341 (1920)

Type: INDIA: Pulney Hills, Banks of the Pambar river at Kodaikanal, 2300 m, Apr 1916, P.F. Fyson 4057 (Lectotype: K000814763, image!).

Distribution: India (Tamil Nadu) – Endemic.

Notes: Uniyal (1995) and Srivastava et al. (2015) opined that *Vernonia pulneyensis* Gamble has not been collected after type collection. However critical studies carried out by Murugan and Murthy (2010) revealed that the species was collected from the type locality and other localities, but erroneously identified as *Vernonia conyzoides* DC. Moreover, the species is often confused with *Vernonia peninsularis* C.B.Clarke ex Hook.f.

Acilepis pothigaiana (Chellad. & Gopalan) R.Kottaimuthu, **comb. nov.**

Basionym: *Vernonia pothigaiana* Chellad. & Gopalan, *Journal of Economic and Taxonomic Botany* 25(2): 271 (2001)

Type: INDIA: Tirunelveli, Pothigaimalai, c. 1868 m, 6 Feb 1989, R. Gopalan 88741 (holo: CAL; iso: MH!).

Distribution: India (Tamil Nadu) – Endemic.

Notes: *Acilepis pothigaiana* very closely resembles *A. fysonii* (Calder) H.Rob. & Skvarla, but differs in stem 10-ribbed; leaves elliptic-lanceolate, glandular, serrate; capitula lax, up to 12; phyllaries linear-lanceolate or oblong.

Acknowledgments

Author would like to thank Dr. Robinson for literature and Dr. G.V.S. Murthy, Joint-Director, Botanical Survey of India, Southern Circle for permission to consult the herbarium and library.

References

- Bunwong S, Chantananthai P, Keeley SC (2014) Revisions and key to the Vernonieae (Compositae) of Thailand. *PhytoKeys* 37: 25–101 <http://dx.doi.org/10.3897/phytokeys.37.6499>
- Chelladurai V, Gopalan R (2001) A new *Vernonia* Schreb. (Asteraceae) from southern India. *Journal of Economic and Taxonomic Botany* 25(2): 271–273
- Keeley SC, Robinson H (2009) Vernonieae. pp. 439–469 in Funk VA, Susana A, Stuessy TF, Bayer RJ (eds), Systematics, Evolution, and Biogeography of Compositae (International Association for Plant Taxonomy (IAPT), Vienna, Austria)
- Keeley SC, Forsman ZH, Chan R (2007) A phylogeny of the “evil tribe” (Vernonieae: Compositae) reveals Old/New World long distance dispersal: Support from separate and combined congruent datasets (trnL-F, ndhF, ITS). *Molecular Phylogenetics and Evolution* 44: 89–103 <http://dx.doi.org/10.1016/j.ympev.2006.12.024>
- Kumar ESS, (2014) A New combination in *Baccaroides* Moench (Asteraceae) from India. *Journal of Scientific Research* 6(1): 191–192
- Loeuille B, Keeley SC, Pirani JR (2015) A phylogenetic analysis of Lychnophorinae (Asteraceae: Vernonieae): Based on molecular and morphological data. *Systematic Botany* 40(1): 299–315 <http://dx.doi.org/10.1600/036364415X686585>
- Murugan C, Murthy GVS (2010) Recollection of *Vernonia peninsularis* Gamble (Asteraceae) from the type locality. *Journal of Economic and Taxonomic Botany* 34(3): 512–513
- Punekar AS, Vasudeva Rao MK (2006) The genus *Baccharoides* Moench (Asteraceae) in India. *Journal of Economic and Taxonomic Botany* 30(3): 549–554
- Rasiya Beegam A, Sibi M (2012) Two new combinations in *Acilepis* (Asteraceae). *Rheedia* 22(1): 38
- Robinson H (1999) Revision in paleotropical Vernonieae (Asteraceae). *Proceedings of the Biological Society of Washington* 112(1): 220 – 247
- Robinson H, Skvarla JJ (2006) Studies on the Gymnantheminae (Vernonieae: Asteraceae): restoration of the genus *Monosis*. *Proceedings of the Biological Society of Washington* 119: 600–607 [http://dx.doi.org/10.2988/0006-324X\(2006\)119\[600:SOTGVA\]2.0.CO;2](http://dx.doi.org/10.2988/0006-324X(2006)119[600:SOTGVA]2.0.CO;2)
- Robinson H, Skvarla JJ (2007) Studies on the Gymnantheminae (Vernonieae: Asteraceae) II: A new genus, *Decaneuropsis*, from China, India, and southeast Asia. *Proceedings of the Biological Society of Washington* 120: 359–366 [http://dx.doi.org/10.2988/0006-324X\(2007\)120\[359:SOTGAV\]2.0.CO;2](http://dx.doi.org/10.2988/0006-324X(2007)120[359:SOTGAV]2.0.CO;2)

- Robinson H, Keeley SC, Skvarla JJ, Chan R (2008) Studies on the Gymnantheminae: Asteraceae) III: Restoration of the genus *Strobocalyx* and the new genus *Tarlmounia*. *Proceedings of the Biological Society of Washington* 121(1): 19–33 <http://dx.doi.org/10.2988/07-21.1>
- Robinson H, Skvarla JJ (2009a) Studies on the Paleotropical Vernonieae (Asteraceae): additions to the genus *Acilepis* from southern Asia. *Proceedings of the Biological Society of Washington* 122(2): 131–145 <http://dx.doi.org/10.2988/08-19.1>
- Robinson H, Skvarla JJ (2009b) A new genus, *Khasianthus*, from India, Myanmar, and China (Vernonieae: Asteraceae). *Proceedings of the Biological Society of Washington* 122(2): 146–149 <http://dx.doi.org/10.2988/08-20.1>
- Robinson H, Skvarla JJ (2009c) A new genus *Uniyala*, from Peninsular India and Sri Lanka (Vernonieae: Asteraceae). *Proceedings of the Biological Society of Washington* 122(2): 150–154 <http://dx.doi.org/10.2988/08-21.1>
- Robinson H, Skvarla JJ (2010a) A new genus, *Okia*, from northern Myanmar (Vernonieae, Asteraceae). *Proceedings of the Biological Society of Washington* 123(1): 87–91 <http://dx.doi.org/10.2988/09-26.1>
- Robinson H, Skvarla JJ (2010b) The restoration of the genus *Vernonella* Sond. (Vernonieae: Asteraceae). *Proceedings of the Biological Society of Washington* 123(3): 181–192 <http://dx.doi.org/10.2988/09-28.1>
- Srivastava RC, Lakshminarasimhan P, Arisdason W, Sardesai MM (2015) Angiosperms of India known only by type collection. *Journal of Threatened Taxa* 7(8): 7465–7470 <http://dx.doi.org/10.11609/JoTT.o3723.7465-70>
- Uniyal BP (1995) Vernonieae. In: Haira PK, Rao RR, Singh FK, Uniyal BP (eds), *Flora of India* Vol. 13. Asteraceae (Inuleae – Vernonieae). (Botanical Survey of India, Calcutta), pp. 330–394

Manuscript received 25 July 2015, accepted 12 September 2015